

Part	s Supplied							
Ref	Description	Illustration	Qty	Ref	Description		Illustration	Qty
1	Top & Bottom rails		2pairs	13	Top roller			4
2	Fixed glass		2	14	Bottom roller			4
7	Corner connector		2	15	Vertical seal		L=1830	2
8	Glass clip and cover cap	\$ 0	4	16	Magneti sea			1pair
9	Wall profile	\bigcap	2	17	Handle			2
10	Fixed panel seal	L=17	63 2	18	Wall profile cover			1pair
12	Door		2	19	Black adhesive seal			1
Fittir	ngs Supplied					,		1
Ref	Description	Illustration	Qty	Ref	Description		Illustration	Qty
3	Stainless steel Screw ST3.9X3		16	6	Screw cover		© ©	18
4	Stainless steel Screw ST3.9X1		4	11	Wall plug		O INI II	8
5	Stainless steel Screw ST4X10		10	20	3MM Drill Bit		(MININE)	1
Tool	ls Required(no	ot supplied)						
Magneti Crosshe Screwd	ead 🛭 🕸 🖘 🗓	Power Drill(wit hamme action)				6MM Dril Bit(suitab for wall ty	le CC	
Rubber	Mallet	Silicone				Scissors		
Spirit Le	evel	Knife						
Tape Measure	e	Pencil		∅				
	I		I			1		

Assembly Instructions CORNER ENTRY ENCLOSURE

Before You Start


·WARNING: Please read these instructions through carefully before you start the installation. Incorrect product installation may result in serious product failure in use.


Always follow the instructions and retain them for future use.


•The enclosure is designed to allow for 20mm adjustment when fitted to "out of true" walls.


The thickness of the tiles used will affect the overall position of the enclosure on the tray.


- ·Check the pack and ensure that you have all of the parts listed . If not, contact your vendor.
- ·When you are ready to start, make sure you have the right tools to hand, plenty of space and a clean dry area for assembly.
- •Two people are required for assembly. Please note that although these instructions are comprehensive, it is always recommended that a technically competent installer should undertake installation.
- ·Ensure that the enclosure is fitted to a level tray or floor and vertical walls .
- ·Please note: The wall plugs included with this product are suitable for solid walls only. Plasterboard or stud walls may require specialized fixings which are not provided. (Always ensure that the wall plugs or fittings are correct for the wall type.)
- ·Caution: Please handle all glass with care. Any damage to the edges, or scratches to the surface that occur during assembly or normal use can cause the glass to break suddenly. Tempered glass will shatter into very small pieces that will still have sharp edges.
- ·Caution: Care should be taken when drilling into walls to avoid hidden pipes or electrical cables.
- ·When working near a tray or bath, ensure that the waste is covered so that small parts do not fall down it.














Assembly Instructions CORNER ENTRY ENCLOSURE

Care & Use

Soapy water is adequate to keep the glass clean, although glass cleaner can be used if required. Scourers, abrasives and chemical cleaners can damage the glass and pattern, and should not be used.

In hard water areas, insoluble lime salts may be deposited on the glass. If this is allowed to build up it becomes increasingly difficult to remove and looks unsightly. Regular cleaning will minimize this effect.



