

Ref	Description	Illustration	Qty
S04	Screw washer		8
S05	Wall profile cover cap		2
S06	Vertical profile cover cap	left right	2
S07	Fixed glass clamp	<b>6</b> 0	4
S08	Top roller		2
S09	Bottom roller		2
S10	Handle		1
S11	Wall profile	$\triangle$	2

Ref	Description	Illustration	Qty
S12	Wall profile cover strip		2
S13	Top & bottom rails	Top Bottom	2
S15	Curved fixed glass		1
S16	Flat fixed glass		1
S17	Fixed panel seal	L=1830mm	1
S18	Vertical seal	F L=1885mm	1
S19	Door		1
S20	Magnetic door seal	L=1885mm L=1824mm	1pair
S21	EVA adhesive seal		1

#### Fittings Supplied

Ref	Description	Illustration	Qty
S01	Wall plug		8
S02	Screw ST4x30	24 1 30 30	16
S03	Screw ST4x10	4 10 10 10 10 10 10 10 10 10 10 10 10 10	8

Ref	Description	Illustration	Qty
S14	Screw 4x10	4	4
	3.0MM Drill Bit	Ø3.0	1
	2.5mm allen key		1

#### Tools Required(not supplied)

Magnetic Crosshead Screwdriver		Silicone Sealant	SILICONE
Rubber Mallet		Knife	
Spirit Level		Pencil	
Tape Measure	Sept.	6mm Drill Bit (suitable for wall type)	Ø6
Power Drill (with hammer action)		Scissors	

#### Before You Start


·WARNING: Please read these instructions through carefully before you start the installation. Incorrect product installation may result in serious product failure in use.


Always follow the instructions and retain them for future use.


The enclosure is designed to allow for 20mm adjustment when fitted to "out of true" walls.


The thickness of the tiles used will affect the overall position of the enclosure on the tray.


- ·Check the pack and ensure that you have all of the parts listed . If not, contact your vendor.
- ·When you are ready to start, make sure you have the right tools to hand, plenty of space and a clean dry area for assembly.
- •Two people are required for assembly. Please note that although these instructions are comprehensive, it is always recommended that a technically competent installer should undertake installation.
- ·Ensure that the enclosure is fitted to a level tray or floor and vertical walls .
- ·Please note: The wall plugs included with this product are suitable for solid walls only. Plasterboard or stud walls may require specialized fixings which are not provided. (Always ensure that the wall plugs or fittings are correct for the wall type.)
- ·Caution: Please handle all glass with care. Any damage to the edges, or scratches to the surface that occur during assembly or normal use can cause the glass to break suddenly. Tempered glass will shatter into very small pieces that will still have sharp edges.
- ·Caution: Care should be taken when drilling into walls to avoid hidden pipes or electrical cables.
- ·When working near a tray or bath, ensure that the waste is covered so that small parts do not fall down it.














Care & Use
Soapy water is adequate to keep the glass clean, although glass cleaner can be used if required. Scourers, abrasives and
chemical cleaners can damage the glass and pattern, and should not be used.
In hard water areas, insoluble lime salts may be deposited on
the glass. If this is allowed to build up it becomes increasingly
difficult to remove and looks unsightly. Regular cleaning will
minimize this effect.